

Natural in appearance and character but with the added benefit of having a stain protected coating. Concerto is hand buffed giving added interest and unique look. (Hide size av. 4.5sqm, thickness ca. 1.0mm)

Applications	Residential, Contract
Natural Leather	Leather is a natural product and the uniqueness of each hide is identified on occasion by growth marks, scars, variations in grain and other natural characteristics which add to the beauty of real leather and should not be regarded as a defect. Due to the natural properties of leather, colour and texture variations between batches may occur.
Care Information	<ul style="list-style-type: none"> ✓ Wipe away stains as soon as they occur with a soft absorbent cloth, then wipe gently with a clean damp cloth – avoid scrubbing. ✓ Dust with a soft cloth and vacuum frequently. ✓ Cleaners and Conditioners are available to help maintain this leather type.
Precautions Protect from / Avoid	<ul style="list-style-type: none"> ✗ Sources of excessive heat, i.e. fires or close to radiators ✗ Direct sunlight particularly on aniline and semi aniline types ✗ Furniture polishes and waxes ✗ Household detergents and solvents
Characteristics and Test Methods	Manufactured under the ISO9001:2008 quality system and to comply with British / European standards for upholstery leather and the furnishings fire safety regulations 1988.

Characteristic	Method	Recommended Values
Fastness to Rubbing 300 dry	EN ISO 11640 EN ISO 11641	≥ 3 grey scale
Fastness to Rubbing 80 wet		≥3 grey scale
Fastness to Rubbing 50 alkaline ph8		≥3 grey scale
Flexing Endurance	EN ISO 5402	n/a
Tear Strength	EN ISO 3377-1	≥ 20 N
Surface Adhesion	EN ISO 11644	n/a
Colour Fastness to Light	EN ISO 105-B02	Min 3 blue scale
Fire Resistance - Residential	BS5852:part 1 ign. source 0 cigarette	Pass
Fire Resistance - Residential	BS5852:part 1 ign. source 1 match	Pass
FR – Contract	BS5852 Crib/Source 5	(specify requirement on order)

All our leathers comply with strict regulations and EU directives covering the use and presence of PCP, CFC, ChromoVI, Dimethylfumarate (DMF) and Azo dyestuffs during the tanning process.